

BNSDOCID: <EP_____1287799A2_I_>

Description

[0001] This invention relates to a disposable diaper provided with an indicator by which it is indicated visually from outside whether urination has occurred or not.

[0002] Japanese Patent Publication No. 1997-299401A discloses a disposable diaper comprising a liquid-pervious topsheet, a liquid-impervious backsheet and a liquid-absorbent core interposed between the top- and backsheets, defining a front waist region, a rear waist region and a crotch region extending between these waist regions, provided with an indicator which becomes visible and indicates an occurrence of urination from outside the backsheet when the front waist regions is wetted with urine.

[0003] The indicator comprises an ink layer which is disposed between the backsheet and the core and becomes visible when the ink layer is wetted with urine and an ink-covering layer which is disposed between the backsheet and the ink layer and put in close contact with the ink layer. The ink-covering layer contains a surfactant. The backsheet is made of breathable but liquid-impervious oriented plastic film containing fine particles of a titanium oxide, a calcium carbonate or a barium sulfate. This diaper is effective in that, when the indicator is wetted with urine, the surfactant contained in the ink-covering layer is dissolved in urine and the inner surface of the whitened backsheet is wetted with the urine and as a result the ink layer can be visually recognized through the backsheet.

[0004] Generally, it is unnecessary for a diaper that any third person other than a wearer's mother or a care personnel can detect whether urination has occurred or not. In the case of the diaper disclosed in the above-cited Publication, the ink layer becomes clearly visible upon urination, so urination is easily perceived by the third person. With this diaper, urination is pointed up by the third person and sometimes the diaper wearer's sense of pride may be injured.

[0005] It is an object of this invention to provide a disposable diaper enabling it to perceive from outside the diaper whether urination has occurred or not, without injuring the diaper wearer's sense of pride.

[0006] According to this invention, there is provided a disposable diaper comprising a liquid-pervious topsheet facing a wearer's body, a liquid-impervious backsheet facing away from the wearer's body and a liquid-absorbent core interposed between these top- and backsheets, defining a front waist region, a rear waist region and a crotch region extending between these waist regions wherein at least the front waist region out of the front and rear waist regions and the crotch region is provided with an indicator by which it is perceptible from outside the backsheet whether urination has occurred or not.

[0007] The disposable diaper further comprises the indicator composed of a liquid-pervious intermediate sheet hydrophilically modified by coating of a hydrophobic fibrous nonwoven fabric with surfactant and a water-

soluble coloring agent depicting a given figure in color different from those of the backsheet and the intermediate sheet so that the figure is visible from outside the backsheet, wherein the intermediate sheet is interposed between the backsheet and the core and the coloring agent is applied on at least one of the surfaces of the backsheet and the intermediate sheet opposed to each other, and urine discharged on the diaper dissolves the surfactant and the coloring agent, then the surfactant and the coloring agent dissolved in urine permeate the intermediate sheet and is absorbed by the core, whereupon the figure substantially disappears and the intermediate sheet restores its initial hydrophobic property so as to prevent the coloring agent once absorbed by the core from flowing back toward the backsheet.

[0008] In one embodiment of this invention, the figure disappears within 30 seconds - 2 minutes after urination has occurred.

[0009] In another embodiment of this invention, the intermediate sheet has a basis weight of 10 - 30 g/m² and a thickness of 0.1 - 3.0 mm.

[0010] In still another embodiment of this invention, the intermediate sheet is in close contact with the core.

[0011] In further another embodiment of this invention, the respective opposed surfaces of the backsheet and the intermediate sheet which are opposed to each other are in close contact with each other.

Fig. 1 is a partially cutaway perspective view showing a disposable diaper;

Fig. 2 is a sectional view taken along a line II - II in Fig. 1;

Fig. 3 is a diagram illustrating a manner in which urination causes variation in the indicator provided;

Fig. 4 is a sectional view similar to Fig. 2 showing another embodiment of this invention; and

Fig. 5 is a diagram illustrating a manner in which urination causes variation in the indicator.

[0012] Details of a pants-type disposable diaper according to this invention will be more fully understood from the description given hereunder in reference to the accompanying drawings.

[0013] Fig. 1 is a partially cutaway perspective view showing a typical embodiment of a disposable diaper 1 according to this invention and Fig. 2 is a sectional view taken along a line II - II in Fig. 1. In Fig. 1, a waist-surrounding direction is indicated by an arrow X, a longitudinal direction is indicated by an arrow Y and a thigh-surrounding direction is indicated by an arrow Z. "Inner surfaces" 2a, 3a, 15a of top- and backsheets 2, 3 and an intermediate sheet 15, respectively, should be understood to mean the surfaces of these sheets facing a core 4 and "outer surfaces" 2b, 3b, 15b of these sheets 2, 3, 15, respectively should be understood to mean the surfaces of these sheets facing away from the core 4.

[0014] The diaper 1 comprises a liquid-pervious topsheet 2 facing a wearer's body, a liquid-impervious

backsheet 3 facing away from the wearer's body and a liquid-absorbent core 4 interposed between these sheets 2, 3. The diaper 1 is composed of front and rear waist regions 5, 7 opposed to each other and a crotch region 6 extending between these front and rear waist regions 5, 7. The diaper 1 has waist-hole's peripheral portions 8 extending in the front and rear waist regions 5, 7 in the waist-surrounding direction, waist's side portions 9 extending in a longitudinal direction and leg-holes' peripheral portions 10 extending in the crotch region 6 in the thigh-surrounding direction.

[0015] In the diaper 1, the transversely opposite side edge portions 9 are overlaid and joined together on a plurality of heat-sealing lines 11 arranged intermittently in the longitudinal direction. In this manner, the diaper 1 is formed with a waist-hole 12 and a pair of leg-holes 13 lying below the waist-hole 12. The diaper 1 is provided in the front waist region 5 and the crotch region 6 with an indicator 14 by which it is perceptible from outside the backsheet 3 whether urination has occurred or not.

[0016] The waist-hole's peripheral portions 8 are provided with a plurality of waist-surrounding elastic members 17 which is extending in the waist-surrounding direction and bonded thereto in a stretched state. The leg-holes' peripheral portions 10 are provided with a plurality of thigh-surrounding elastic members 18 which is extending in the thigh-surrounding direction and bonded thereto in a stretched state. The waist-surrounding elastic members 17 and the thigh-surrounding elastic members 18 are interposed between the top- and backsheet 2, 3 and bonded to the inner surface 2a or 3a of at least one of these sheets 2, 3.

[0017] A stock material for the topsheet 2 may be selected a hydrophilic fibrous nonwoven fabric or a thermoplastic film having a plurality of fine pores. A stock material for the backsheet 3 may be selected from a group including of a hydrophobic fibrous nonwoven fabric, a breathable but liquid-impervious film obtained by orienting of a plastic film containing inorganic fine particles such as a titanium oxide, a calcium carbonate and a barium sulfate and a composite nonwoven fabric consisting of the hydrophobic fibrous nonwoven fabric and the breathable but liquid-impervious film laminated with each other. The backsheet 3 has a light transmittance of 30 - 80 %. As the plastic film, a polyolefine- or polyester-based thermoplastic resin film may be used. The top- and backsheet 2, 3 may be of white or milk-white color.

[0018] The core 4 are formed by a mixture of fluff pulp and super-absorbent polymer particles or a mixture of fluff pulp, super-absorbent polymer particles and thermoplastic synthetic resin fiber, in any case, compressed to a desired thickness. The core 4 is secured to the inner surface 2a of the topsheet 2. Preferably, the core 4 is entirely covered with a tissue paper in order to prevent the core 4 from getting out of shape and/or to prevent the polymer particles from falling off. The polymer particles may be selected from a group of materials includ-

ing of a starch-based polymer, a cellulose-based polymer and a synthetic polymer.

[0019] The indicator 14 continuously extends so as to occupy a from the front waist region 5 toward the crotch region 6 and is attached to these regions 5, 6 in a middle zone thereof as viewed in the waist-surrounding direction. The indicator 14 comprises a liquid-pervious intermediate sheet 15 hydrophilically modified by coating of a hydrophobic fibrous nonwoven fabric with surfactant (not shown) and water-soluble coloring agent 16 of the color different from those of the backsheet 3 and the intermediate sheet 15 depicting a given figure which is visible from outside of the backsheet 3.

[0020] The intermediate sheet 15 is interposed between the backsheet 3 and core 4 in close contact with an outer surface 4a of the core 4 extending into the front waist region 5. The intermediate sheet 15 has its outer surface 15b (i.e., the surface opposed to the backsheet 3) is not joined to an inner surface 3a (the surface opposed to the outer surface 15b of the intermediate sheet 15) but has its inner surface 15a is joined together with the outer surface 4a of the core 4 by means of an intermittently applied adhesive (not shown). The intermediate sheet 15 is colored in white or milk-white. The figure S composed of three stars arranged in the longitudinal direction from the front waist region 5 toward the crotch region 6 are depicted on the intermediate sheet 15 in its middle zone as viewed in the waist-surrounding direction by the coloring agent 16. This coloring agent 16 is applied on the outer surface 15b of the intermediate sheet 15.

[0021] Fig. 3 is a diagram illustrating a manner in which urination causes variation of the indicator 14. Urine (not shown) discharged onto the diaper 1 exudes out from the core 4 to the indicator 14, on one route, and flows from the peripheral edge of the core 4 through the gap between the backsheet 3 and the core 4 to the indicator 14, on the other route. As the indicator 14 is wetted with urine, the surfactant applied to the intermediate sheet 15 and the coloring agent 16 are dissolved in urine and, as indicated by an arrow L, the surfactant and the coloring agent 16 which are dissolved in urine permeate the intermediate sheet 15 and then they are absorbed and retained together with urine by the core 4.

[0022] With this diaper 1, upon urination, the coloring agent 16 dissolved in urine is absorbed by the core 4 and, in consequence, the figure S depicted by the coloring agent 16 disappears. This feature enables it possible to be visible from outside the backsheet 3 whether urination has occurred or not. Compared to the diaper of the prior art in which the ink layer becomes obvious upon urination, in the case of the diaper 1 wherein the figure S disappears upon urination, it is difficult for a third person to perceive an occurrence of urination and point out that and therefore the wearer's sense of pride is not injured.

[0023] In the diaper 1, upon urination, the surfactant applied on the intermediate sheet 15 is dissolved in

urine and then absorbed by the core 4. As a result, the intermediate sheet 15 restores its hydrophobic property and there is no possibility that the coloring agent 16 once absorbed by the core 4 might permeate the intermediate sheet 15 again and flow back toward the backsheet 3. With the diaper 1, even if the core 4 is colored by the coloring agent 16 which is absorbed thereby, the core 4 is concealed by the intermediate sheet 15 so that the color of the core 4 can not be visually recognized.

[0024] In the diaper 1, the figures S depicted with the coloring agent are arranged in the longitudinal direction in the front waist region 5 and the crotch region 6. With such a placement of the figures S, the figure S depicted in the front waist region 5 rapidly disappears when most of urine is discharged onto the front waist region 5 and the figures S depicted in the crotch region 6 rapidly disappears when most of urine is discharged onto the crotch region 6. Therefore it can be reliably perceived whether urination has occurred or not in the front waist region and/or the crotch region.

[0025] With the diaper 1, the figure S disappears within 30 seconds - 2 minutes after urination has occurred, and the intermediate sheet 15 has a basis weight of 10 - 30 g/m² and a thickness M of 0.1 - 3.0 mm. If the intermediate sheet 15 has the basis weight less than 10 g/m² and the thickness M less than 0.1 mm, it would be impossible for the intermediate sheet 15 to conceal the core 4 which has absorbed the coloring agent 16 and thereby has been colored. Consequently, it is likely that the color of the core 4 might be visually recognized from outside the backsheet 3. If the intermediate sheet 15 has the basis weight exceeding 30 g/m² and the thickness M exceeding 3.0 mm, a time until the figure S disappears would exceed 2 minutes because it takes a long time until the coloring agent 16 dissolved in urine permeates the intermediate sheet 15.

[0026] Fig. 4 is a cross-sectional view similar to Fig. 2 showing one preferred embodiment of this invention and Fig. 5 is a diagram illustrating a manner in which urination causes variation in the indicator 14. Referring to Fig. 4, the coloring agent 16 whose color differs from those of the backsheet 3 and the intermediate sheet 15 is applied on the inner surface 3a of the backsheet 3 and the outer surface 15b of the intermediate sheet 15 (the surfaces 3a, 15b are opposed to each other). The intermediate sheet 15 has its outer surface 15b (the surface opposed to the surface 3a) joined to the inner surface 3a of the backsheet 3 by means of an adhesive (not shown) intermittently applied thereon and its inner surface 15a joined to the outer surface 4a of the core 4 by means of an adhesive (not shown) intermittently applied thereon.

[0027] In this diaper 1, since the inner surface 3a of the backsheet 3 is in close contact with the outer surface 15b of the intermediate sheet 15, the coloring agent 16 dissolved in urine can more rapidly permeate the intermediate sheet 15 from the backsheet 3 and absorbed into the core 4 by contact with the embodiment such

that the backsheet 3 and the intermediate sheet 15 are not in contact each other. Specifically, the figure S depicted with the coloring agent 16 disappears within 30 seconds - 2 minutes after urination has occurred. The intermediate sheet 15 has the same basis weight and thickness M as those of the embodiment shown in Fig. 2.

[0028] In this diaper 1, peripheral portions of the top- and backsheets 2, 3 extending outward beyond the peripheral edge of the core 4 are overlaid and joined together. Joining of the top- and backsheets 2, 3, bonding of the elastic members 17, 18 to the top- and backsheets 2, 3 and joining of the core 4 to the topsheet 2 may be carried out using a hot melt adhesive or welding techniques such as a heat-sealing and a sonic sealing. For bonding using a hot melt adhesive, it may be applied on the top- and backsheets 2, 3 in an appropriate pattern such as spiral pattern or spray pattern.

[0029] In this diaper 1, the indicator 14 may be attached to at least one of the front and rear waist regions 5, 7 and the crotch region 6. The intermediate sheet 15 preferably has a size at least twice the figure S depicted with the coloring agent 16. The figure S depicted with the coloring agent 16 preferably lies substantially in the middle of the intermediate sheet 15. It is also possible to apply the coloring agent 16 on the inner surface 3a of the backsheet 3.

[0030] The figure S depicted with the coloring agent 16 is not specified and the stars as shown may be replaced by a geometric pattern such as a circle, a triangle, a square or a rhombus, or a graphic of suitable character or letters. The number of the components constituting the figure S is not limited to three as shown but may be one, two, three or more.

[0031] The surfactant may be ionic or nonionic. The ionic surfactant may be selected from a group consisting of various anionic surfactants such as a carboxylate, a sulfate ester, a sulfonate and a phosphate ester, and various cationic surfactants such as a monoalkylamine hydrochloride, a dialkylamine hydrochloride and a trialkylamine hydrochloride, and a various ampholytic surfactants such as an amino acid type and ammonium type surfactant. The nonionic surfactant may be selected from a group consisting of a polyoxyethylene type and a polyvalent alcohol type surfactant.

[0032] As the water-soluble coloring agent 16, a food dye dissolved in water or alcohol or a water-soluble ink may be used. Examples of such a coloring agent include aqueous solution of Edible Red No. 105 (rose Bengal) dissolved in water or alcohol (solubility in water: 36.25 g/100 ml (26 °C), solubility in alcohol: 7.53 g/100 ml (26 °C)), Edible Green No. 3 (Fast Green FCF) dissolved in water or alcohol (solubility in water: 24.9 g/100 ml (21 °C), solubility in alcohol: 6.8 g/100 ml (21 °C)) and Edible Blue No. 1 (Brilliant Blue FCF) dissolved in water or alcohol (solubility in water: 18.7 g/100 ml (21 °C), solubility in alcohol: 9.0 g/100 ml (21 °C)). A color of the coloring agent 16 is not specified so far as the color differs from those of the backsheet 3 and the intermediate

sheet 15.

[0033] An adhesive used for joining of the intermediate sheet 15 is not specified but it is preferred to use a hydrophilic natural polymeric adhesive such as a starch or a hide glue, or a water-soluble synthetic polymeric adhesive such as a polyvinyl alcohol or a polyvinyl pyrrolidone. It is also possible to use a hot melt adhesive for this purpose.

[0034] Nonwoven fabric as a stock material for the top- and backsheets 2, 3 and the intermediate sheet 15 may be selected from a group including products obtained by spun lacing, needle punching, melt blowing, thermal bonding, spun bonding, chemical bonding and air-through processes. Component fibers of the nonwoven fabric may be selected from a group including polyolefine-, polyester- and polyamide-based fibers and core-sheath-type and side-by-side-type conjugated fibers of polyethylene/polypropylene and polyethylene/polyester.

[0035] This invention is applicable not only to the pants-type diaper 1 having the front and rear waist regions 5, 7 previously connected to each other as has been described above but also to so-called open-type diaper of which the front and rear waist regions are connected to each other immediately before the diaper is actually used.

[0036] With the disposable diaper according to this invention, upon urination, the coloring agent dissolved in urine is absorbed by the core and consequently the figure depicted with this coloring agent disappears so that urination can be visually perceived from outside the backsheet. The figure disappears after urination has occurred, so it is difficult for a third person to perceive and to point out occurrence of urination. In this way, there is no anxiety that the wearer's sense of pride might be injured.

[0037] In this diaper, as the surfactant applied on the intermediate sheet is absorbed by the core, the intermediate sheet restores its initial hydrophobic property and therefore the coloring agent which is dissolved in urine and absorbed by the core never permeate the intermediate sheet again and flow back toward the backsheet. Even if the core has been colored by the coloring agent absorbed therein, the intermediate sheet conceals the core so that the color of the core be invisible from outside the backsheet.

crotch region is provided with an indicator by which it is perceptible from outside said backsheet whether urination has occurred or not, said disposable diaper further comprising:

said indicator being composed of a liquid-perVIOUS intermediate sheet hydrophilically modified by coating of a hydrophobic fibrous nonwoven fabric with surfactant and a water-soluble coloring agent depicting a given figure in color different from those of said backsheet and said intermediate sheet, said figure being visible from outside said backsheet, wherein said intermediate sheet is interposed between said backsheet and said core and said coloring agent is applied on at least one of opposed surfaces of said backsheet and said intermediate sheet which are opposed to each other; and urine discharged on said diaper dissolves said surfactant and said coloring agent, then said surfactant and said coloring agent dissolved in urine permeate said intermediate sheet and being absorbed by said core, whereupon said figure substantially disappears and said intermediate sheet restores its initial hydrophobic property so as to prevent said coloring agent once absorbed by said core from flowing back toward said backsheet.

2. The diaper according to Claim 1, wherein said figure disappears within 30 seconds - 2 minutes after urination has occurred.
3. The diaper according to Claim 1, wherein said intermediate sheet has a basis weight of 10 - 30 g/m² and a thickness of 0.1 - 3.0 mm.
4. The diaper according to Claim 1, wherein said intermediate sheet is in close contact with said core.
5. The diaper according to Claim 1, wherein the respective opposed surfaces of said backsheet and said intermediate sheet which are opposed to each other are in close contact with each other.

Claims

1. A disposable diaper comprising a liquid-perVIOUS topsheet facing a wearer's body, a liquid-impervious backsheet facing away from the wearer's body and a liquid-absorbent core interposed between said top- and backsheets so as to define a front waist region, a rear waist region and a crotch region extending between said waist regions wherein at least one of said front and rear waist regions and said

FIG. 1




FIG. 2




FIG.3




FIG.4





FIG.5





Europäisches Patentamt
European Patent Office
Office européen des brevets



(11) **EP 1 287 799 A3**

(12) **EUROPEAN PATENT APPLICATION**

(88) Date of publication A3:
26.11.2003 Bulletin 2003/48

(51) Int Cl.7: **A61F 13/42, A61F 13/49**

(43) Date of publication A2:
05.03.2003 Bulletin 2003/10

(21) Application number: **02255952.0**

(22) Date of filing: **28.08.2002**

(84) Designated Contracting States:
AT BE BG CH CY CZ DE DK EE ES FI FR GB GR
IE IT LI LU MC NL PT SE SK TR
Designated Extension States:
AL LT LV MK RO SI

(72) Inventor: **Yoshioka, Toshiyasu,**
c/o Technical Center
Mitoyo-gun, Kagawa-ken 769-1602 (JP)

(30) Priority: **31.08.2001 JP 2001263070**

(74) Representative: **Parry, Christopher Stephen**
Saunders & Dolleymore,
9 Rickmansworth Road
Watford, Herts. WD18 0JU (GB)


(71) Applicant: **Uni-Charm Corporation**
Kawanoe-shi, Ehime-ken 182 (JP)

(54) **Disposable diaper**

(57) A disposable diaper 1 includes a liquid-pervious topsheet 2, a liquid-impervious backsheet 3, a liquid-absorbent core 4 interposed between these top- and backsheets 2, 3, and an indicator 14 by which it is perceptible from outside the backsheet 3 whether urination has occurred or not. The indicator 14 comprises a liquid-pervious intermediate sheet 15 hydrophilically modified

by coating of a hydrophobic fibrous nonwoven fabric with surfactant and a water-soluble coloring agent 16 depicting a given figure which is perceptible from outside the backsheet 3. The intermediate sheet 15 is interposed between the backsheet 3 and the core 4 and the coloring agent 16 is applied on the surface of the intermediate sheet 15 opposed to the backsheet 3.

FIG.1





European Patent
Office

EUROPEAN SEARCH REPORT

Application Number
EP 02 25 5952

DOCUMENTS CONSIDERED TO BE RELEVANT			
Category	Citation of document with indication, where appropriate, of relevant passages	Relevant to claim	CLASSIFICATION OF THE APPLICATION (Int.Cl.7)
A	WO 01 41691 A (FURUSAWA SHINICHIRO ;UEDA KIMIO (JP); KAWAKAMI YOSHIHISA (JP); PRO) 14 June 2001 (2001-06-14) * page 12, line 24 - page 13, line 11 * * page 15, line 18 - page 16, line 28; figures *	1-5	A61F13/42 A61F13/49
A	EP 0 813 850 A (UNI CHARM CORP) 29 December 1997 (1997-12-29) * column 3, line 35 - column 5, line 20; figures *	1	
A	WO 94 10958 A (MITCHELL WINALEE G) 26 May 1994 (1994-05-26) * page 8, line 22-33 * * page 10, line 3-15 * * page 14, line 10-23; figures *	1	
A	WO 00 65083 A (CARLUCCI GIOVANNI ;GUERRESCHI LISA (IT); CAPRI MARIA GRAZIA (IT);) 2 November 2000 (2000-11-02) * page 19, line 4-10; claims; examples *	1	
			TECHNICAL FIELDS SEARCHED (Int.Cl.7)
			A61F
The present search report has been drawn up for all claims			
Place of search:		Date of completion of the search	Examiner
THE HAGUE		3 October 2003	Seabra, L
CATEGORY OF CITED DOCUMENTS X : particularly relevant if taken alone Y : particularly relevant if combined with another document of the same category A : technological background O : non-written disclosure P : intermediate document T : theory or principle underlying the invention E : earlier patent document, but published on, or after the filing date D : document cited in the application L : document cited for other reasons & : member of the same patent family, corresponding document			

EPO FORM 1503 03/02 (P4/C01)

**ANNEX TO THE EUROPEAN SEARCH REPORT
ON EUROPEAN PATENT APPLICATION NO.**

EP 02 25 5952

This annex lists the patent family members relating to the patent documents cited in the above-mentioned European search report. The members are as contained in the European Patent Office EDP file on
The European Patent Office is in no way liable for these particulars which are merely given for the purpose of information.

03-10-2003

Patent document cited in search report		Publication date		Patent family member(s)	Publication date
WO 0141691	A	14-06-2001	WO	0141691 A1	14-06-2001
			AU	2356500 A	18-06-2001
			EP	1242027 A1	25-09-2002
			JP	2003516185 T	13-05-2003
EP 0813850	A	29-12-1997	JP	9299401 A	25-11-1997
			AU	710789 B2	30-09-1999
			AU	2013897 A	20-11-1997
			CA	2205167 A1	16-11-1997
			CN	1168267 A	24-12-1997
			EP	0813850 A2	29-12-1997
WO 9410958	A	26-05-1994	US	5354289 A	11-10-1994
			AU	5600194 A	08-06-1994
			EP	0727975 A1	28-08-1996
			WO	9410958 A1	26-05-1994
WO 0065083	A	02-11-2000	AU	4492400 A	10-11-2000
			AU	4665800 A	10-11-2000
			AU	4665900 A	10-11-2000
			AU	4802900 A	10-11-2000
			AU	4803000 A	10-11-2000
			AU	4842199 A	17-01-2000
			BR	0010058 A	15-01-2002
			BR	0010059 A	15-01-2002
			BR	9911750 A	03-04-2001
			CA	2336025 A1	06-01-2000
			CA	2367588 A1	02-11-2000
			CA	2370502 A1	02-11-2000
			CA	2370509 A1	02-11-2000
			CA	2370739 A1	02-11-2000
			CA	2370936 A1	02-11-2000
			CN	1348501 T	08-05-2002
			CN	1349562 T	15-05-2002
			CN	1328476 T	26-12-2001
			CZ	20004751 A3	15-08-2001
			EP	1173618 A1	23-01-2002
			EP	1173605 A2	23-01-2002
			EP	1173606 A2	23-01-2002
			EP	1173758 A2	23-01-2002
			EP	1173759 A2	23-01-2002
			EP	1091773 A1	18-04-2001
			HU	0103186 A2	28-01-2002
			JP	2003520615 T	08-07-2003
			JP	2003517584 T	27-05-2003

EPO FORM P0469

For more details about this annex : see Official Journal of the European Patent Office, No. 12/82

**ANNEX TO THE EUROPEAN SEARCH REPORT
ON EUROPEAN PATENT APPLICATION NO.**

EP 02 25 5952

This annex lists the patent family members relating to the patent documents cited in the above-mentioned European search report. The members are as contained in the European Patent Office EDP file on
The European Patent Office is in no way liable for these particulars which are merely given for the purpose of information.

03-10-2003

Patent document cited in search report	Publication date	Patent family member(s)	Publication date
WO 0065083, A		JP 2002542843 T	17-12-2002
		JP 2002542845 T	17-12-2002
		JP 2002543397 T	17-12-2002
		JP 2002542846 T	17-12-2002
		TR 200003819 T2	21-06-2001
		TW 421587 B	11-02-2001
		WO 0065083 A2	02-11-2000
		WO 0065084 A2	02-11-2000
		WO 0065096 A1	02-11-2000
		WO 0065347 A2	02-11-2000
		WO 0065348 A2	02-11-2000
		WO 0000233 A1	06-01-2000
		ZA 200108416 A	17-03-2003
		TW 476640 B	21-02-2002

EPO FORM P0459

For more details about this annex : see Official Journal of the European Patent Office, No. 12/82